Have you 'paused and checked'?

A clinical imaging examination IR(ME)R Operator checklist

P	Patient	Check the examination is justified Check examination history for recent studies and duplication Confirm patient ID, always use unique identifiers Confirm pregnancy status Confirm the patient expected the examination. Confirm the patient has been given information on the benefits and risks of the examination. Confirm the patient has not had a similar examination recently
A	Anatomy	Select the correct anatomical area Select the correct laterality Place the correct anatomical marker within the primary beam
U	User checks	Confirm the examination is being completed at the right date and time Confirm the exposure has been authorised Confirm the correct modality Check radiation safety measures for staff and/or comforters & carers Communicate appropriate instructions to patient, carer and team
S	Systems & Settings	Select correct patient (unique ID) and exam date/time Select correct imaging protocol / technique Select optimal exposure factors (ALARP) (and adjust if required) Select correct detector/bucky, AEC & grid as appropriate
E	Exposure	Confirm there is no clinical reason this exposure should not proceed Expose Record dose and reference DRL Evaluate images, confirm necessity for repeat or additional views
D	Draw to a close	Add image comments or flags as appropriate Complete RIS record Confirm PACS images are stored accurately Tell patient how to get results and where to go next

Adapted by kind permission of the Royal Free London NHS Foundation Trust

IR(ME)R requires all duty holders to comply with their local Employers procedures.

This "pause and check" poster does **not replace** these procedures but represents a shortened summary of the main **checks**.



